

LEISURE 4.0

Leisure sports flooring

LEISURE 4.0

4mm thickness cushion flooring suitable for light exercise such as sports center and fitness center. And also that are safe for educational space, LESRURE 4.0 is free of heavy metal detection.




Fitness



Sports Center



kindergarten




Size : 4.0mm X 1,800mm X 16M/Roll


Leisure sports flooring

Color inspiration


SOLID




LES 6501-01 Yellow



LES 6601-01 Green




LES 6403-01 Sky Blue




LES 6200-01 Red



LES 6701-01 Purple




LES 6901-01 Orange




LES 6606-01 Dark Green



LES 6400-01 Dark Blue




LES 6700-01 Pink




LES 6303-01 Gray


WOOD




LES 2501-01 Creamy Oak




LES 2502-01 Sand brown Oak



LES 2503-01 Light saddle Oak



LES 0055-01 Monsoon Teak



LES 0056-01 Tropical Teak

WOOD

LES2501



LES2502

LES0055

LES0056



WOOD

LES2501

LES2502

LES0055

LES0056




WOOD

LES2501

LES2502

LES0055

LES0056



LX Hausys

WOOD

LES2501


LES2502

LES0055

LES0056



LX Hausys



SOLID

LES6601-01

LES6606-01



LES6403-01

LES6400-01

WOOD

LES2502-01

LES0055-01



SOLID

LES6601-01

LES6606-01

LES6403-01

LES6400-01



WOOD

LES2502-01

LES0055-01



SOLID

LES6601-01

LES6606-01

LES6403-01

LES6400-01

WOOD

LES2502-01



LES0055-01



SOLID

LES6601-01

LES6606-01

LES6403-01

LES6400-01

WOOD

LES2502-01

LES0055-01



SOLID

LES6501-01



LES6601-01



LES6901-01



LES6701-01



SOLID

LES6501-01



LES6601-01



LES6901-01



LES6701-01



SOLID

LES6501-01



LES6601-01



LES6901-01



LES6701-01



SOLID

LES6501-01



LES6601-01



LES6901-01
















LES6701-01



Leisure 4.0

Type of Flooring	Heterogeneous commercial sheet		
Total thickness	4.0mm	Wear Layer	0.5mm
Width	1.8M	Length	16M/Roll
Weight	3,000g/m ²	Colors	15 C

TECHNICAL DATA - EN 651

	STANDARD	METHOD	RESULT
Surface treatment			PUR
Format			Sheet
 Roll length			16m
 Width		ISO 24341(EN 426)	1,800mm
 Thickness		ISO 24346(EN 428)	4.0mm
 Thickness of wear layer		ISO 24340(EN 429)	0.5mm
 Weight		ISO 23997(EN 430)	2,680g/m ²
 Dimensional stability		ISO 23999(EN 434)	fulfilled
 Slip resistance		DIN 51130	R9
		EN 13893	DS
 Wear resistance		EN 660-2	group T
 Chemical resistance		ISO 26987(EN 423)	good
 Flexibility		ISO 24344(EN 434)	no crack
 Impact sound insulation		ISO 10140	18dB
 Reaction to fire		EN 13501-1	Cfl-s1
 Thermal resistance		EN 12664	suitable for underfloor heating

TECHNICAL DATA - EN 14904(INDOOR SPORTS)

	STANDARD	METHOD	RESULT
Friction		EN 13036-4	Average 105
Vertical deformation		EN 14809	0.4mm
Vertical ball rebound		EN 12235	Average 99%
Behavior under a rolling load		EN 1569	No damage
Resistance to wear		EN ISO 5470-1	0.16g
Resistance to static load		EN 1516	Average 0.28mm
Resistance to impact		EN 1517	No damage

Features



Gymnasium



Sports Center



Education

Application




Sports flooring properties favorable for light activities



Solid colors and natural wood patterns creates optimistic atmosphere



Phthalate and heavy metal free appropriate for educational area



CONTROLLED BY CCS Global Services



Reverse installation required

LEISURE 4.0



www.lxhausys.com

For more information, Go to Website

 LX Hausys

Copyright © LX Hausys All rights reserved.