

MINI

MINI

Applications



Education

Child care
Kindergarten
School
Library



Commercial

Retail Shop
DIY
Office
Corridor/Lobby



Hospitality

Apartment
Hotel




Sports

Locker Room
Multipurpose Hall

Structure

2.0mm X 2,000mm X 20M/Roll

 Highly dense web-structured coating



Feature



Easy Clean UV Surface Treatment

- Anti-bacterial and anti-scratch treatment
- Highly dense web-structured coating
- Uniquely strong resistance to contamination
- ※ Polish or wax coating is not allowed without stripping process



Chromatic

- The design color diversity of Mini inspires innovation and imagination
- ※ Color Range of Mini



MINI

INDEX

※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

MIN0005-01

Light Blush

MIN0004-01

Beige Creme

MIN0011-01

Sea Mint

MIN0007-01

Blue Azure

MIN0001-01

Tinted Chalk

MIN0002-01

Grey Ore

MIN0008-01

Dark Indigo

MIN0012-01

Spring Green

MIN0003-01

Metal Graphite

MIN0009-01

Powder Blue

MIN0006-01

Bisque Sunshine

MIN0010-01

Pale Denim

MIN0014-01

Honey Apricot

EDUCATION



MIN0009-01
Powder Blue

MIN0010-01
Pale Denim

MIN0002-01
Grey Ore

MIN0008-01
Dark Indigo

MIN0012-01
Spring Green

MIN0011-01
Sea Mint

MIN0001-01
Tinted Chalk

MIN0006-01
Bisque Sunshine

MIN0003-01
Metal Graphite

MIN0007-01
Blue Azure




EDUCATION



<p>MIN0009-01 Powder Blue</p>	<p>MIN0010-01 Pale Denim</p>		
<p>MIN0002-01 Grey Ore</p>	<p>MIN0008-01 Dark Indigo</p>		
<p>MIN0012-01 Spring Green</p>	<p>MIN0011-01 Sea Mint</p>		
<p>MIN0001-01 Tinted Chalk</p>	<p>MIN0006-01 Bisque Sunshine</p>	<p>MIN0003-01 Metal Graphite</p>	<p>MIN0007-01 Blue Azure</p>




EDUCATION



EDUCATION



EDUCATION



HOSPITALITY




MIN0009-01
Powder Blue

MIN0004-01
Beige Creme

MIN0011-01
Sea Mint




HOSPITALITY



MIN0009-01
Powder Blue



MIN0004-01
Beige Creme



MIN0011-01
Sea Mint



CORRIDOR



MIN0003-01
Metal Graphite

MIN0005-01
Light Blush

MIN0010-01
Pale Denim



CORRIDOR



MIN0003-01
Metal Graphite

MIN0005-01
Light Blush



MIN0010-01
Pale Denim

COMMERCIAL



MIN0001-01
Tinted Chalk

MIN0002-01
Grey Ore

MIN0004-01
Beige Creme

MIN0005-01
Light Blush

MIN0006-01
Bisque Sunshine

MIN0011-01
Sea Mint

MIN0002-01
Grey Ore

MIN0004-01
Beige Creme

MIN0014-01
Honey Apricot



COMMERCIAL



MIN0001-01
Tinted Chalk

MIN0002-01
Grey Ore

MIN0004-01
Beige Creme

MIN0005-01
Light Blush

MIN0006-01
Bisque Sunshine

MIN0011-01
Sea Mint

MIN0002-01
Grey Ore

MIN0004-01
Beige Creme

MIN0014-01
Honey Apricot



COMMERCIAL

<p>MIN0001-01 Tinted Chalk</p>	<p>MIN0002-01 Grey Ore</p>	
<p>MIN0004-01 Beige Creme</p> 	<p>MIN0005-01 Light Blush</p>	
<p>MIN0006-01 Bisque Sunshine</p>	<p>MIN0011-01 Sea Mint</p>	
<p>MIN0002-01 Grey Ore</p>	<p>MIN0004-01 Beige Creme</p>	<p>MIN0014-01 Honey Apricot</p>



COMMERCIAL

<p>MIN0001-01 Tinted Chalk</p>	<p>MIN0002-01 Grey Ore</p>	
<p>MIN0004-01 Beige Creme</p>	 <p>MIN0005-01 Light Blush</p>	
<p>MIN0006-01 Bisque Sunshine</p>	<p>MIN0011-01 Sea Mint</p>	
<p>MIN0002-01 Grey Ore</p>	<p>MIN0004-01 Beige Creme</p>	<p>MIN0014-01 Honey Apricot</p>



COMMERCIAL

<p>MIN0001-01 Tinted Chalk</p>	<p>MIN0002-01 Grey Ore</p>	
<p>MIN0004-01 Beige Creme</p>	<p>MIN0005-01 Light Blush</p>	
<p> MIN0006-01 Bisque Sunshine</p>	<p>MIN0011-01 Sea Mint</p>	
<p>MIN0002-01 Grey Ore</p>	<p>MIN0004-01 Beige Creme</p>	<p>MIN0014-01 Honey Apricot</p>



COMMERCIAL

<p>MIN0001-01 Tinted Chalk</p>	<p>MIN0002-01 Grey Ore</p>	
<p>MIN0004-01 Beige Creme</p>	<p>MIN0005-01 Light Blush</p>	
<p>MIN0006-01 Bisque Sunshine</p>	<p>MIN0011-01 Sea Mint</p> 	
<p>MIN0002-01 Grey Ore</p>	<p>MIN0004-01 Beige Creme</p>	<p>MIN0014-01 Honey Apricot</p>



COMMERCIAL

MIN0001-01 Tinted Chalk	MIN0002-01 Grey Ore
MIN0004-01 Beige Creme	MIN0005-01 Light Blush
MIN0006-01 Bisque Sunshine	MIN0011-01 Sea Mint



MIN0002-01 Grey Ore	MIN0004-01 Beige Creme	MIN0014-01 Honey Apricot
-------------------------------	----------------------------------	------------------------------------



MINI




Education - Child care, Kindergarten, School, Library

Commercial - Retail Shop, DIY, Office, Corridor/Lobby

Hospitality - Apartment, Hotel

Sports - Locker Room, Multipurpose Hall



Characteristic	Standard	Unit	Mini 35	Mini 70
Type of Flooring Type de sol Bodentyp Tipo de pavimento	EN ISO 10582			
Surface Treatment Surface Treatment Surface Treatment tratamiento de superficies			Easy Clean UV	
Classification Classe d'usage Klassifizierung Clase de uso	EN ISO 10874		31	34 / 43
Weight Poids Flächengewicht Peso total	EN ISO 23997	g/m ²	2,950	2,950
Width LARGEUR BREITE ANCHURA	EN ISO 24341	mm	2,000	2,000
Roll length longueur du rouleau Rollenlänge longitud del rollo		m	20	20
Overall Thickness Epaisseur totale Gesamtdicke Espesor total	EN ISO 24346	mm	2.0	2.0
Wear Layer Thickness Epaisseur de la couche d'usure Abnutzen Schichtstärke Espesor de la capa de uso	EN ISO 24340	mm	0.35	0.70
Wear Resistance WGroup d'abrasion Verschleißverhalten Resistencia a la abrasión	EN 660-2		T	T
Residual Indentation Poinçonnement rémanent Resteindruckverhalten Punzonamiento estático residual	EN ISO 24343-1	mm	< 0.1	< 0.1
Dimensional Stability Stabilité dimensionnelle Dimenstionsstabilität Estabilidad dimensional	EN ISO 23999	%	≤ 0.4	≤ 0.4
Flexibility Souplesse Flexibilität Flexibilidad	ISO 24344		No Crack	No Crack
Light Fastness Résistance à la lumière Lichtechtheit Resistencia de los colores a la luz UV	EN ISO 105-B02		≥ 6	≥ 6
Furniture Leg Resistance Résistance au pied de meuble Verschiebung eines Möbelstuhls Resistencia a las patas de los muebles	EN 424		No Crack, No Damage	No Crack, No Damage
Castor Chair Resistance Résistance aux chaises à roulettes Stuhlrollenbeanspruchung Resistencia a sillas con ruedas	EN ISO 4918		No Change	No Change
Reaction to fire Classement feu Brandverhalten Resistencia al fuego	EN 13501-1		Bfl-s1	Bfl-s1
Stain Resistance Résistance aux taches Fleckenbeständigkeit Resistencia a las manchas	EN ISO 26987		No Change PUR Surface Treatment	No Change PUR Surface Treatment
Slip Resistance Glissance Rutschfestigkeit Resistencia al deslizamiento	DIN 51130		R9	R9
Dynamic Coefficient of friction Résistance au glissement Rutschhemmung Resistencia al deslizamiento	EN 13893		Class DS	Class DS
Acoustic Insulation Efficacité acoustique Trittschalldämmung Aislamiento acústico	EN ISO 10140	dB		
Electrostatic Performance Accumulation de charges électrostatiques Antistatik Propiedades electroestáticas	EN 1815	kV	< 2	< 2
Thermal Resistance Résistance thermique Wärmedurchlasswiderstand Resistencia térmica	EN ISO 10456	m ² K/W		
Warranty In Years Garantie en années Garantie in Jahren Garantía en años	EN 12524		10 Commercial	10 Commercial
Formaldehyde Group Classe formaldehyde Formaldehyd Klassifizierung Clase de formaldehido	EN 717-1			
CE Marking Marguage CE CE Kennzeichnung Mercado CE	EN 14041: 2004/AC:2006			
TVOC After 28 Days TVOC après 28 jours TVOC (28 Tage) TVOC (28 dagen) Compuestos Orgánicos Volátiles después	ISO 16000-06	µg/m ³		



MINI



www.lxhausys.com

For more information, Go to Website

 **LX Hausys**

Copyright © LX Hausys All rights reserved.