

STYLE



Stylish design floor

# STYLE

for the creative office





# LINEN

## Design Series

The Work space, where the most amount of time spent in this mode. We recommend the warm feeling of the fabric pattern for soft atmosphere and concentration.

# Foliage Concrete

## Design Series

Two type of design, One is a natural concrete pattern, and the other is a pattern with leaves on it. Looking closely, it looks as if the leaves have left their marks.

# Native Grain

## Design Series

Rhythmical wood design, which consists of the difference between bright and dark colors of wood.

# Beaded Carpet

## Design Series

High-resolution carpet design featuring all-round fabric feel



LINEN

ST31502



ST31503

ST31505

ST31507

ST31509

ST31515





LINEN

ST31502

ST31503



ST31505

ST31507

ST31509

ST31515





LINEN

ST31502

ST31503

ST31505

ST31507

ST31509

ST31515





LINEN

ST31502

ST31503

ST31505

ST31507

ST31509

ST31515





LINEN

ST31502

ST31503

ST31505

ST31507

ST31509

ST31515





LINEN

ST31502

ST31503

ST31505

ST31507

ST31509

ST31515





# LINEN

ST31503



ST31504

ST31505

ST31507

ST31509

ST31513





# LINEN

ST31503

ST31504

ST31505

ST31507

ST31509

ST31513





**LINEN**

**ST31503**

**ST31504**

**ST31505**

**ST31507**

**ST31509**

**ST31513**





# LINEN

ST31503

ST31504

ST31505

ST31507

ST31509

ST31513





# LINEN

ST31503

ST31504

ST31505

ST31507

ST31509

ST31513





**LINEN**

**ST31503**

**ST31504**

**ST31505**

**ST31507**

**ST31509**

**ST31513**





# FOLIAGE CONCRETE

ST31604



ST31605

ST31608





# FOLIAGE CONCRETE

ST31604

ST31605

ST31608





# FOLIAGE CONCRETE

ST31604

ST31605

ST31608






# FOLIAGE CONCRETE

ST31603



ST31605

ST31607





# FOLIAGE CONCRETE

ST31603

ST31605

ST31607





# FOLIAGE CONCRETE

ST31603

ST31605

ST31607





# BEADED CARPET

ST31406



ST31405

ST31408





# BEADED CARPET

ST31406

ST31405

ST31408





# BEADED CARPET

ST31406

ST31405

ST31408





# BEADED CARPET

ST31406



ST31404

ST31405

ST31402

ST31408

ST31409





# BEADED CARPET

ST31406

ST31404



ST31405

ST31402

ST31408

ST31409





# BEADED CARPET

ST31406

ST31404

ST31405

ST31402

ST31408

ST31409





# BEADED CARPET

ST31406

ST31404

ST31405

ST31402

ST31408

ST31409





# BEADED CARPET

ST31406

ST31404

ST31405

ST31402

ST31408

ST31409





# BEADED CARPET

ST31406

ST31404

ST31405

ST31402

ST31408

ST31409





# BEADED CARPET

ST31405



ST31406

ST31409

ST31410

ST31411

ST31412





# BEADED CARPET

ST31405

ST31406



ST31409

ST31410

ST31411

ST31412





# BEADED CARPET

ST31405

ST31406

ST31409

ST31410

ST31411

ST31412





# BEADED CARPET

ST31405

ST31406

ST31409

ST31410

ST31411

ST31412





# BEADED CARPET

ST31405

ST31406

ST31409

ST31410

ST31411

ST31412

 LX Hausys





# BEADED CARPET

ST31405

ST31406

ST31409

ST31410

ST31411

ST31412





# NATIVE GRAIN

ST31701



ST31703

ST31705





# NATIVE GRAIN

ST31701

ST31703

ST31705






# NATIVE GRAIN

ST31701

ST31703

ST31705





# NATIVE GRAIN

ST31701



ST31703

ST31705





# NATIVE GRAIN

ST31701

ST31703



ST31705





# NATIVE GRAIN

ST31701

ST31703

ST31705





# Strong Resistance to Scratch




Not easily worn out against heavy traffic  
Wear resistance group T(EN 660-2)



Wear resistance group T

# Easy Maintenance Easy Clean UV™

Easy Clean UV™ allows easy maintenance  
Low maintenance cost






# COLOR INSPIRATION

## LINEN



ST 31506-01 ST 31507-01 ST 31508-01 ST 31511-01



ST 31501-01 ST 31503-01 ST 31502-01 ST 31504-01



ST 31512-01 ST 31513-01 ST 31514-01 ST 31505-01



ST 31509-01 ST 31515-01 ST 31510-01

## BEADED CARPET



ST 31401-01 ST 31403-01 ST 31409-01



ST 31402-01 ST 31404-01 ST 31407-01




ST 31406-01 ST 31511-01 ST 31511-01



ST 31412-01 ST 31411-01 ST 31410-01

## FOLIAGE CONCRETE



ST 31604-01 ST 31603-01



ST 31602-01 ST 31601-01




ST 31606-01 ST 31605-01



ST 31608-01 ST 31607-01

## NATIVE GRAIN



ST 31701-01 ST 31702-01 ST 31704-01 ST 31705-01



# Commercial Sheet Style

Type of Flooring	Heterogeneous commercial sheet		
Total thickness	2.0mm	Wear Layer	0.55mm
Width	2M	Length	20M/Roll
Weight	2,950g/m <sup>2</sup>	Colors	40 C



## TECHNICAL DATA

Characteristic	Standard	Unit	Style
Surface Treatment			
Format			Sheet
Classification	ISO 10874(EN 685)		33/42
Roll length		M	20
Width	ISO 24341(EN 426)	mm	2,000
Thickness	ISO 24346(EN 428)	mm	2
Weight	ISO 23997(EN 430)	g/m <sup>2</sup>	2,950
Wear layer thickness	ISO 24340(EN 429)	mm	0.55m
Residual indentation	ISO 24343-1(EN 433)	mm	< 0.1
Dimensional stability	ISO 23999(EN 434)	%	< 0.4
Color fastness to light	ISO 105-B02		≥ 6
Wear class	EN 660-2		T
Castor chair test	ISO 4918(EN 425)		Fulfilled
Reaction to fire	EN 13501-1		Bfl-s1
Chemical resistance	ISO 26987(EN 423)		Good
Slip resistance	EN 13893 DIN 51130		DS R9
Impact sound reduction	EN ISO 10140	dB	
Flexibility	ISO 24344(EN 435)		No crack
Body voltage	EN 1815	kV	< 2
Thermal resistance	EN 12664	m <sup>2</sup> K/W	suitable for underfloor heating

## Features



### Strong resistance to scratch

- Not easily worn out against heavy traffic
- Wear resistance group T(EN 660-2)




### Easy Maintenance

- Easy Clean UV™ allows easy maintenance
- Low maintenance cost



ITEM		STYLE	OTHERS
80°C	L	+0.05%	-0.2%
OvenX1hr	W	-0.10%	-0.30%

Superior dimensional stability with Glass paper inlaid structure



· Dimensional stabilities due to optimized temperature & tension technology applied on the Calendaring process of LX Hausys.

· Dimensionally unstable products may result in gaps between sheets after installation. These gaps could trap dirt and multiply bacteria.





# STYLE

---



[www.lxhausys.com](http://www.lxhausys.com)

For more information, Go to Website

 LX Hausys

Copyright © LX Hausys All rights reserved.