

WOOD COLLECTION

More like real wood

MORE REALISTIC


Exactly synchronized embossing on a high resolution print produces a more realistic wood feel

Embossed in Register

EIR Technology

Exactly synchronized
emboss layer

High resolution
print layer




For the spacious design

BIG SIZE PLANK

Using our new solution, the plank size in this collection is 1.5 times larger compared to standard sheet plank sizes which gives spaces the illusion of a larger and more open floor plan

1.5 times larger


CURRENT WOOD SHEET FLOORING



WOOD COLLECTION





COMPARISON



More like real wood

WOOD DETAIL

Using our new solution, the plank size in this collection is 1.5 times larger compared to standard sheet plank sizes which gives spaces the illusion of a larger and more open floor plan



More like real wood

COLOR INSPIRATION

Limed Oak



WC32301



WC32302



WC32303

Vintage Cracked Oak



WC32501



WC32502



WC32503

Natural Oak



WC32401




WC32402




WC32403

Midnight Oak



WC32601



WC32602



WC32603



WC32404



WC32405

VINTAGE
CRACKED OAK

WC32501



WC32502

WC32503



VINTAGE CRACKED OAK

WC32501

WC32502

WC32503



VINTAGE
CRACKED OAK

WC32501

WC32502

WC32503



MIDNIGHT OAK

WC32601

WC32602

WC32603



LX Hausys



MIDNIGHT OAK

WC32601

WC32602

WC32603



LX Hausys



MIDNIGHT OAK

WC32601

WC32602

WC32603



LX Hausys



MIDNIGHT OAK

WC32601

WC32602

WC32603



MIDNIGHT OAK

WC32601

WC32602

WC32603



MIDNIGHT OAK

WC32601

WC32602

WC32603



MIDNIGHT OAK

WC32601



WC32602

WC32603



MIDNIGHT OAK

WC32601

WC32602

WC32603



 LX Hausys



MIDNIGHT OAK

WC32601

WC32602

WC32603



NATURAL OAK

WC32401



WC32402

WC32403



NATURAL OAK

WC32401

WC32402

WC32403



NATURAL OAK

WC32401

WC32402

WC32403



LIMED OAK

WC32404



WC32405



LIMED OAK

WC32404

WC32405



WOOD COLLECTION


Type	Code	Size	Wear Layer Thickness
Sheet	WCXXXXX-01	2.0mm X 2,000mm X 20M/Roll	0.55mm
	WCXXXXX-02	2.0mm X 2,000mm X 20M/Roll	0.3mm

TECHNICAL DATA - ISO 10582

STANDARD	METHOD	RESULT
Surface treatment		Easy Clean UV
Format		Sheet
Classification	EN 10582	23/31 (0.3F) 33/42 (0.55F)
Roll length		20m
Width	ISO 24341(EN 426)	2,000mm
Thickness	ISO 24346(EN 428)	2.0mm
Wear layer thickness	ISO 24340(EN 429)	0.3mm/0.55mm
Weight	ISO 23997(EN 430)	3,100g/m ²
Residual indentation	ISO 24343-1(EN 433)	fulfilled
Dimensional stability	ISO 23999(EN 434)	fulfilled
Color fastness to light	ISO 105-B02	≥6
Castor chair suitability	ISO 4918(EN 425)	no damage
Slip Resistance	EN 13893	DS
Wear resistance	EN 660-2	group T
Chemical resistance	ISO 26987(EN 423)	good
Flexibility	ISO 24344(EN 435)	no crack
Reaction to fire	EN 13501-1	Bfl -s1
Thermal resistance	EN 12664	suitable for underfloor heating
Body voltage	EN 1815	<2kV

STRUCTURE

2.0mm X 2,000mm X 20M/Roll



APPLICATIONS



Education



Healthcare



Silver Town



Office



Cafe

FEATURE



Realistic textures, patterns, visuals

LX's E.I.R creates Most Realistic & 3-Dimensional Looks and stunningly wooden realistic-looking floor designs.



Strong resistance to scratch

- Not easily worn out against heavy traffic
- Wear resistance group T(EN 660-2)



Easy Maintenance

- Easy Clean UV™ allows easy maintenance
- Low maintenance cost



ISO14001

ISO 9001

ISO 14001

ISO 9001

ISO 9001

ISO 9001

ISO 9001

ISO 9001



WOOD COLLECTION



www.lxhausys.com

For more information, Go to Website

 LX Hausys

Copyright © LX Hausys All rights reserved.