


DECOCLICK

BASIC CONSTRUCTION

FEATURES

DECOCLICK

BASIC CONSTRUCTION



Pattern

Code

Wood Visual

DCW

BASIC CONSTRUCTION

FEATURES

DECOCLICK

FEATURES

Eco & Human-friendly Product

- FloorScore®, A+ and IAC Gold certified for low VOCs
- Free of 6 types of harmful phthalate plasticizers :
DOP, BBP, DBP, DIDP, DNOP, DINP
- Heavy Metal Free : Cd, Pb, Hg, Cr6+

Stronger Lock



- Patent-pending Fiber Reinforced Layer strengthens locking strength

Easy Clean UV Coating

- LX's exclusive PUR treatment technology provides stronger resistance to contaminants
- Easy cleaning and low maintenance cost
(No wax & No polish needed)



DECOCLICK

Characteristic	Standard	Unit	Results
Type of Flooring Type de sol Bodentyp Tipo de pavimento	EN ISO 10582		PVC Heterogeneous Tile
Surface Treatment Traitement de Surface Oberflächenbehandlung tratamiento de superficies			High Density PUR
 Classification Classe d'usage Klassifizierung Clase de uso	EN ISO 10582		Class 23/33/42
 Weight Poids Flächengewicht Peso total	EN ISO 23997	g/m ²	6,800
 Size Dimensions Maße Medidas	Possible Spec		
- Planks Lames Dielen Lamas		mm	150×1220
- Tiles Dalles Fliesen Losetas		mm	310×605
Squareness : Straightness Rectitude Geradheit Rectitud	EN ISO 24342	%	≤0.25
 Overall Thickness Epaisseur totale Gesamtdicke Espesor total	EN ISO 24346	mm	4.0
 Wear Layer Thickness Epaisseur de la couche d'usure Dicke Nutzschiicht Espesor de la capa de uso	EN ISO 24340	mm	0.55
 Wear Resistance WGroup d'abrasion Verschleißverhalten Resistencia a la abrasión	EN 660-2		T
 Residual Indentation Poinçonnement rémanent Resteindruckverhalten Punzonamiento estático residual	EN ISO 24343-1	mm	≤0.1
 Dimensional Stability Stabilité dimensionnelle Dimenstionsstabilität Estabilidad dimensional	EN ISO 23999	%	≤0.15
Curling after exposure to heat Incurvation Schüsselung Curvado	EN ISO 23999	mm	≤1
 Light Fastness Résistance à la lumière Lichtechtheit Resistencia de los colores a la luz UV	EN ISO 105-B02		≥6
 Furniture Leg Resistance Résistance au pied de meuble Verschiebung eines Möbelstuhls Resistencia a las patas de los muebles	EN 424		No Crack, No Damage
 Castor Chair Resistance Résistance aux chaises à roulettes Stuhlrollenbeanspruchung Resistencia a sillas con ruedas	EN ISO 4918		No Change
 Reaction to fire Classement feu Brandverhalten Resistencia al fuego	EN 13501-1		Bfl-s1

Characteristic	Standard	Unit	Results
 Stain Resistance Résistance aux taches Fleckenbeständigkeit Resistencia a las manchas	EN ISO 26987		No Change PUR Surface Treatment
 Slip Resistance Glissance Rutschfestigkeit Resistencia al deslizamiento	DIN 51130		R9/R10
Dynamic Coefficient of friction Résistance au glissement Rutschhemmung Resistencia al deslizamiento	EN 13893		Class DS
Friction (Pendulum Test) Friction Reibung Fricción	EN 13036-4		30/36↑
 Acoustic Insulation Efficacité acoustique Trittschalldämmung Aislamiento acústico	EN ISO 10140	dB	5
 Electrical Resistance Résistance électrique Elektrischer Leitwiderstand Resistencia eléctrica	EN 1081	ohm	≤5.0×10 ¹¹
 Electrostatic Performance Accumulation de charges électrostatiques Antistatik Propiedades electroestáticas	EN 1815	kV	≤2
 Thermal Resistance Résistance thermique Wärmedurchlasswiderstand Resistencia térmica	EN 12667	m ² .K/W	0.04
 Underfloor Heating Chauffage par le sol Fußbodenheizung Calefacción radiante			Suitable, Max 27°C 80.6°F
Warranty In Years Garantie en années Garantie in Jahren Garantía en años	EN 12524		10 Commercial, 30 Residential
 Formaldehyde Group Classe formaldehyde Formaldehyd Klassifizierung Clase de formaldehido	EN 717-1		E1
Phthalate Free Sans phtalate Phthalatfrei Libre de ftalato			N.D
Heavy metal Free Heavy metal gratuit Schwermetallfrei Heavy metal Free			N.D
 CE Marking Marguage CE CE Kennzeichnung Marcado CE	EN 14041:2004/AC:2006		DOP N°20EDC-DOP-40
 TVOC After 28 Days TVOC après 28 jours TVOC (28 Tage) TVOC (28 dagen) Compuestos Orgánicos Volátiles después	ISO 16000-06		A+ (Eurofins 392-201800200802)
REACH	N° SVHC		SGS AYAA18-62889
Length Flatness Longueur à plat Länge Ebenheit Planeidad de la longitud	ISO10582/AnnexB	%	≤0.05%
Width Flatness Largeur Planéité Breite Ebenheit Planeidad da la anchura	ISO10582/AnnexB	%	≤0.05%
Opening(Average) Ouverture Öffnung Apertura	ISO10582/AnnexC	mm	Pass
 Locking strength Force de blocage Schließkraft Resistencia del sistema clic de cierre	ISO10582/AnnexD	mm	Ave 3.0N

DECOCLICK COLLECTION

※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

OAK




1265
WROUGHT IRON



1266
STAINED PEWTER



1267
BROWN SUGAR




0026
VANILLA BEAN



0030
FLAXEN GOLD




1228
SALTED CREAM



1203
DANDELION




2609
IVORY COAST



1270
CASTED SHADOW

OAK



7820
ROSY MIST




0025
WARM CARBON

OAK / ASH



1227
PALE BUTTERMILK



1201
STONE ALLOY




0024
BLEACHED ALABASTER


WALNUT / HICKORY / ASH




1207
COASTAL WOOD



1208
MERCHANT TIMBER



1253
BLONDE TOFFEE




1258
BORDEAUX MOUNTAIN


HICKORY / CHERRY / PINE



7821
CINNAMON APRICOT



1206
MILD PERSIMMON



2643
CORN BISQUE

OAK



1265
Wrought Iron



1266
Stained Pewter



1267
Brown Sugar



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

1265 / WROUGHT IRON

OAK

1265
Wrought Iron



1266
Stained Pewter



1267
Brown Sugar



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

1265 / WROUGHT IRON

OAK


1265
Wrought Iron



1266
Stained Pewter



1267
Brown Sugar




※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

1265 / WROUGHT IRON

OAK

0026
Vanilla Bean



0030
Flaxen Gold



1228
Salted Cream



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.


0026 / VANILLA BEAN

OAK

0026
Vanilla Bean



0030
Flaxen Gold



1228
Salted Cream



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

0030 / FLAXEN GOLD

OAK


0026
Vanilla Bean



0030
Flaxen Gold



1228
Salted Cream



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

1228 / SALTED CREAM

OAK




1203 Dandelion



2609 Ivory Coast



1270 Casted Shadow



7820 Rosy Mist



0025 Warm Carbon



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

1203 / DANDELION

OAK




1203 Dandelion



2609 Ivory Coast



1270 Casted Shadow



7820 Rosy Mist



0025 Warm Carbon



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

2609 / IVORY COAST


OAK




1203 Dandelion



2609 Ivory Coast



1270 Casted Shadow



7820 Rosy Mist



0025 Warm Carbon



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

1270 / CASTED SHADOW

OAK




1203 Dandelion



2609 Ivory Coast



1270 Casted Shadow



7820 Rosy Mist



0025 Warm Carbon



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

7820 / ROSY MIST

OAK




1203 Dandelion




2609 Ivory Coast



1270 Casted Shadow



7820 Rosy Mist



0025 Warm Carbon



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

0025 / WARM CARBON

OAK / ASH

1227
Pale
Buttermilk



1201
Stone Alloy



0024
Bleached
Alabaster



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.


1227 / PALE BUTTERMILK

OAK / ASH

1227
Pale
Buttermilk



1201
Stone Alloy



0024
Bleached
Alabaster



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

1201 / STONE ALLOY

OAK / ASH

1227
Pale
Buttermilk



1201
Stone Alloy



0024
Bleached
Alabaster



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

0024 / BLEACHED ALABASTER

WALNUT / HICKORY / ASH



1207 Coastal Wood



1208 Merchant Timber



1253 Blonde Toffee



1258 Bordeaux Mountain



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

1207 / COASTAL WOOD

WALNUT / HICKORY / ASH



1207 Coastal Wood



1208 Merchant Timber



1253 Blonde Toffee



1258 Bordeaux Mountain



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

1207 / COASTAL WOOD

WALNUT / HICKORY / ASH



1207 Coastal Wood



1208 Merchant Timber



1253 Blonde Toffee



1258 Bordeaux Mountain



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

1207 / COASTAL WOOD

WALNUT / HICKORY / ASH




1207 Coastal Wood



1208 Merchant Timber



1253 Blonde Toffee



1258 Bordeaux Mountain



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

1207 / COASTAL WOOD

HICKORY / CHERRY / PINE

7821
Cinnamon
Apricot



1206
Mild
Persimmon



2643
Corn Bisque



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.


7821 / CINNAMON APRICOT

HICKORY / CHERRY / PINE


7821
Cinnamon
Apricot



1206
Mild
Persimmon



2643
Corn Bisque



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

7821 / CINNAMON APRICOT

HICKORY / CHERRY / PINE


7821
Cinnamon
Apricot



1206
Mild
Persimmon



2643
Corn Bisque



※ Colors can be different from samples/index. Please check the actual product.
※ Applying the natural characters of woods/stones with diverse colors and visuals.

7821 / CINNAMON APRICOT

DECOCLICK



www.lxhausys.com

For more information, Go to Website

 **LX Hausys**

Copyright © LX Hausys All rights reserved.